

SECTION 1: PRODUCT & COMPANY IDENTIFICATION

PRODUCT NAME: PRODUCT NUMBER: PRODUCT USE: MANUFACTURER: ADDRESS:	TRI-BUILT® SAT BASE SHEET 619750 Self-adhering modified bituminous membranes to be used base and inter-ply membranes on low- sloped roofs CertainTeed Corporation 20 Moores Road Malvern, PA 19355	as ADDRESS: PHONE:	Beacon Sales Acquisition, Inc. 505 Huntmar Park Drive, Suite 300 Herndon, VA 20170 571-323-3939 www.becn.com
PHONE: EMERGENCY PHONE:	610-893-6000 CHEMTREC: 1-800-424-9300 Outside USA and Canada: +703-527-3887		
EFFECTIVE DATE:	4/14/2020		

azard(s) identification
assification of the substance or mixture OT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.
abel elements HS label elements he product is classified and labeled according to the Globally Harmonized System (GHS). azard pictograms:
-IS08
gnal word: Warning
azard statements: 373 May cause damage to organs through prolonged or repeated exposure. ecautionary statements: 260 Do not breathe vapors.
314 Get medical advice/attention if you feel unwell. 501 Dispose of contents/container in accordance with local/regional/national/international regulations.
ther hazards There are no other hazards not otherwise classified that have been identified.

(Cont'd. on page 2)



(Cont'd. of page 1)

3 Composition/information on ingredients Chemical characterization: Mixtures · Components: 8052-42-4 Asphalt 35-75% 🚯 Carc. 2, H351 14808-60-7 quartz 0-37% 68476-96-0 Coal Slag 0-25% 🕹 Carc. 2, H351; STOT RE 2, H373 🔥 STOT ŚE 3, H335 65997-17-3 Fibrous glass 0-5% & Carc. 1B, H350 8042-47-5 White Mineral Oil 0-2% & Asp. Tox. 1, H304

· Additional information:

Non-classification as a carcinogen is based on non-respirable form of product.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

4 First-aid measures

[•] Description of first aid measures

• After inhalation:

Respiration of particulates is unlikely during normal usage.

Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation is experienced, consult a doctor.

• After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

- Headache
- Breathing difficulty

Coughing

· Danger: May cause damage to organs through prolonged or repeated exposure.

· Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray.
- For safety reasons unsuitable extinguishing agents: None.

(Cont'd. on page 3)



(Cont'd. of page 2)

TRI-BUILT® SAT BASE SHEET

Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters · Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures: Ensure adequate ventilation. Use personal protective equipment as required. • Environmental precautions: Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Pick up mechanically. Send for recovery or disposal in suitable receptacles. **Reference to other sections:** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage · Handling · Precautions for safe handling: Use only in well ventilated areas.

• Information about protection against explosions and fires:

Special hazards arising from the substance or mixture

- Keep ignition sources away Do not smoke.
- Reep ignition sources away Do not smoke.
- [•] Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles:

Storage area should be dry and well-ventilated.

· Information about storage in one common storage facility: Store away from foodstuffs.

• Specific end use(s): No relevant information available.

8 Exposure controls/personal protection

· Control parameters

Components with limit values that require monitoring at the workplace:

14808-60-7 quartz REL (USA) Lo

EL (USA)	Long-term value: 0.05* mg/m ³
	*respirable dust; See Pocket Guide App. A

(Cont'd. on page 4)



	(Cont'd. of page 3)
TLV (USA)	Long-term value: 0.025* mg/m ³ *as respirable fraction
EL (Canada)	Long-term value: 0.025 mg/m ³ ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.10* mg/m ³ *respirable fraction
LMPE (Mexic	o) Long-term value: 0.025* mg/m³ A2, *fracción respirable
8052-42-4 As	phalt
REL (USA)	Ceiling limit value: 5* mg/m ³ *15-min; See Pocket Guide App. A
TLV (USA)	Long-term value: 0.5* mg/m³ *inh. fraction; as benzene-soluble aerosol; BEIp
EL (Canada)	Long-term value: 0.5 mg/m³ inhalable, IARC 2B
EV (Canada)	Long-term value: 0.5 mg/m ³ fume, as benzene-soluble aerosol, inhalable
LMPE (Mexic	o) Long-term value: 0.5* mg/m³ A4, IBEp;*fracción inhalable
· Ingredients v	with biological limit values:
8052-42-4 As	phalt
Ti	edium: urine me: end of shift at end of workweek arameter: 1-Hydroxypyrene with hydrolysis (nonquantitative)
General prot The usual prot Keep away fro Immediately r Wash hands Avoid close o Avoid contact Engineering Breathing eo Not required	Attective equipment: ective and hygienic measures: ecautionary measures for handling chemicals should be followed. om foodstuffs, beverages and feed. emove all soiled and contaminated clothing. before breaks and at the end of work. r long term contact with the skin. with the eyes. controls: No relevant information available. puipment: under normal conditions of use. riate NIOSH respirator when ventilation is inadequate and occupational exposure limits are
Prote	ective gloves
The glove ma	terial has to be impermeable and resistant to the product/ the substance/ the preparation. (Cont'd. on page 5)



(Cont'd. of page 4)

TRI-BUILT® SAT BASE SHEET

• Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment Avoid release to the environment.
- Risk management measures See Section 7 for additional information.

9 Physical and chemical properties

Information on basic physical and	l chemical properties	
· Appearance:		
Form:	Solid material	
Color:	Black	
· Odor:	Petroleum-like	
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
• Melting point/Melting range:	Not determined.	
 Boiling point/Boiling range: 	Not determined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not determined.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
 Oxidizing properties: 	Not determined.	
· Vapor pressure:	Not determined.	
· Density:		
Relative density:	Not determined.	
Vapor density:	Not applicable.	
Evaporation rate:	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octanol/water)	: Not determined.	
· Viscosity		
Dynamic:	Not applicable.	
		(Cont'd. on page



(Cont'd. of page 5)

Kinematic: Other information Not applicable. No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- * Possibility of hazardous reactions: Reacts with strong acids and oxidizing agents.
- Conditions to avoid: Keep ignition sources away Do not smoke.
- · Incompatible materials: Oxidizers
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide Hydrocarbons

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- On the eye: Based on available data, the classification criteria are not met.
- Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

14808-60-7 quartz

8052-42-4 Asphalt

• NTP (National Toxicology Program):

14808-60-7 quartz

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

• Probable route(s) of exposure:

Eye contact.

Skin contact.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: May cause damage to organs through prolonged or repeated exposure.

(Cont'd. on page 7)

1

2B

Κ



(Cont'd. of page 6)

TRI-BUILT® SAT BASE SHEET

· Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- [·] Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes: Do not allow product to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects: No relevant information available.

13 Disposal considerations

[•] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

· Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADR, IMDG, IATA	Not regulated.	
UN proper shipping name		
DOT, ADR, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
DOT, ADR, IMDG, IATA		
Class	Not regulated.	
Packing group		
DOT, ADR, IMDG, IATA	Not regulated.	
Environmental hazards		
Marine pollutant:	No	



Spanial pre	agutions for user	(Cont'd. of pa
-	ecautions for user	Not applicable.
	n bulk according to Anne 3/78 and the IBC Code	Not applicable.
Regulator	y information	
Safety, hea mixture	alth and environmental re	egulations/legislation specific for the substance
United State	es (USA)	
Section 355	(extremely hazardous substa	ances):
None of the i	ngredients are listed.	
Section 313	(Specific toxic chemical listing	ngs):
None of the i	ngredients are listed.	
TSCA (Toxic	: Substances Control Act)	
All ingredient	s are listed or exempt.	
Reference to	nown to cause cancer: Crystalline Silica and/or Quart product as supplied.	z is based on unbound respirable particles and is not gene
Reference to	Crystalline Silica and/or Quart product as supplied. quartz	z is based on unbound respirable particles and is not gene
Reference to applicable to 14808-60-7 8052-42-4	Crystalline Silica and/or Quart product as supplied. quartz	
Reference to applicable to 14808-60-7 8052-42-4 Chemicals k	Crystalline Silica and/or Quart product as supplied. quartz Asphalt	
Reference to applicable to 14808-60-7 8052-42-4 Chemicals k None of the i	Crystalline Silica and/or Quart product as supplied. quartz Asphalt mown to cause reproductive	toxicity for females:
Reference to applicable to 14808-60-7 8052-42-4 Chemicals k None of the i	Crystalline Silica and/or Quart product as supplied. quartz Asphalt nown to cause reproductive ngredients are listed.	toxicity for females:
Reference to applicable to 14808-60-7 8052-42-4 Chemicals k None of the i Chemicals k	Crystalline Silica and/or Quart product as supplied. quartz Asphalt nown to cause reproductive ngredients are listed. nown to cause reproductive	toxicity for females:
Reference to applicable to 14808-60-7 8052-42-4 Chemicals k None of the i Chemicals k None of the i	Crystalline Silica and/or Quart product as supplied. quartz Asphalt nown to cause reproductive ngredients are listed. nown to cause reproductive ngredients are listed.	toxicity for females:
Reference to applicable to 14808-60-7 8052-42-4 Chemicals k None of the i Chemicals k None of the i	Crystalline Silica and/or Quart product as supplied. quartz Asphalt mown to cause reproductive ngredients are listed. mown to cause reproductive ngredients are listed. mown to cause development ngredients are listed.	toxicity for females:
Reference to applicable to 14808-60-7 8052-42-4 Chemicals k None of the i Chemicals k None of the i Chemicals k None of the i Carcinogeni EPA (Enviro	Crystalline Silica and/or Quart product as supplied. quartz Asphalt anown to cause reproductive ngredients are listed. anown to cause reproductive ngredients are listed. anown to cause development ngredients are listed. c categories nmental Protection Agency):	toxicity for females:
Reference to applicable to 14808-60-7 8052-42-4 Chemicals k None of the i Chemicals k None of the i Chemicals k None of the i Carcinogeni EPA (Enviro	Crystalline Silica and/or Quart product as supplied. quartz Asphalt mown to cause reproductive ngredients are listed. mown to cause reproductive ngredients are listed. mown to cause development ngredients are listed. c categories	toxicity for females:
Reference to applicable to 14808-60-7 8052-42-4 Chemicals k None of the i Chemicals k None of the i Chemicals k None of the i Carcinogeni EPA (Enviro None of the i	Crystalline Silica and/or Quart product as supplied. quartz Asphalt anown to cause reproductive ngredients are listed. anown to cause reproductive ngredients are listed. anown to cause development ngredients are listed. c categories nmental Protection Agency): ngredients are listed. ational Agency for Research	toxicity for females: toxicity for males: al toxicity:
Reference to applicable to 14808-60-7 8052-42-4 Chemicals k None of the i Chemicals k None of the i Chemicals k None of the i Carcinogeni EPA (Enviro None of the i IARC (Intern 14808-60-7	Crystalline Silica and/or Quart product as supplied. quartz Asphalt anown to cause reproductive ngredients are listed. anown to cause reproductive ngredients are listed. anown to cause development ngredients are listed. c categories nmental Protection Agency): ngredients are listed. ational Agency for Research quartz	toxicity for females: toxicity for males: al toxicity:
Reference to applicable to 14808-60-7 8052-42-4 Chemicals k None of the i Chemicals k None of the i Chemicals k None of the i Carcinogeni EPA (Enviro None of the i IARC (Intern 14808-60-7 8052-42-4	Crystalline Silica and/or Quart product as supplied. quartz Asphalt mown to cause reproductive ngredients are listed. mown to cause reproductive ngredients are listed. c categories nmental Protection Agency): ngredients are listed. ational Agency for Research quartz Asphalt	toxicity for females: toxicity for males: al toxicity: on Cancer):
Reference to applicable to 14808-60-7 8052-42-4 Chemicals k None of the i Chemicals k None of the i Chemicals k None of the i Carcinogeni EPA (Enviro None of the i IARC (Intern 14808-60-7 8052-42-4	Crystalline Silica and/or Quart product as supplied. quartz Asphalt mown to cause reproductive ngredients are listed. mown to cause reproductive ngredients are listed. mown to cause development ngredients are listed. c categories nmental Protection Agency): ngredients are listed. ational Agency for Research quartz Asphalt National Institute for Occupat	toxicity for females: toxicity for males: al toxicity: on Cancer):
Reference to applicable to 14808-60-7 8052-42-4 Chemicals k None of the i Chemicals k None of the i Chemicals k None of the i Carcinogeni EPA (Enviro None of the i IARC (Intern 14808-60-7 8052-42-4	Crystalline Silica and/or Quart product as supplied. quartz Asphalt mown to cause reproductive ngredients are listed. mown to cause reproductive ngredients are listed. c categories nmental Protection Agency): ngredients are listed. ational Agency for Research quartz Asphalt National Institute for Occupat quartz	toxicity for females: toxicity for males: al toxicity: on Cancer):



(Cont'd. of page 8)

· Canadian Domestic Substances List (DSL):

All ingredients are listed or exempt.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 4/14/2020

· Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health Carc. 1B: Carcinogenicity, Hazard Category 1B Carc. 2: Carcinogenicity, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Asp. Tox. 1: Aspiration hazard, Hazard Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene. 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com